Prepared by:
Drew Ellison
LOU BACHRODT FREIGHTLINER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-886-6704

RIVIERA BEACH

VAC CON 2 ND UNIT

QUOTATION

114SD CONVENTIONAL CHASSIS

SET FORWARD AXLE - TRUCK CUM L9 370 HP @ 2000 RPM, 2100 GOV RPM, 1250 LB/FT @ 1400 RPM

ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION

RT-46-160 46,000# R-SERIES TANDEM REAR AXLE HENDRICKSON RT463 @46,000# REAR SUSPENSION DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE 20,000# FLAT LEAF FRONT SUSPENSION 114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB

6850MM (270 INCH) WHEELBASE 7/16X3-9/16X11-1/8 INCH STEEL FRAME

(11.11MMX282.6MM/0.437X11.13 INCH) 120KSI

1900MM (75 INCH) REAR FRAME OVERHANG 1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT

			PER UNIT	TOTAL
VEHICLE PRICE	TOTAL # OF UNITS (1)	\$		\$
EXTENDED WARRANTY		\$		\$
DEALER INSTALLED OPTIONS		\$		\$
CUSTOMER PRICE BEFORE TAX		\$		\$
TAXES AND FEES				
FEDERAL EXCISE TAX (FET)		\$		\$
TAXES AND FEES		\$		\$
OTHER CHARGES		\$		\$
TRADE-IN				
TRADE-IN ALLOWANCE		\$	(0)	\$ (0)
BALANCE DUE	(LOCAL CURRENCY)	\$	102,650	\$ 102,650
2017/2018 FLORIDA SHERIFFS CONTRACT SPE	EC 15			
LOU BACHRODT/SBL FREIGHTLINER LOW BID	ON THIS SPEC.			
APPROVAL:				
Please indicate your acceptance of this quotation by	y signing below:			
Customer: X_	Date:/	/_		



Prepared by:
Drew Ellison
LOU BACHRODT FREIGHTLINER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-886-6704

Daimler Truck Financial

Financing that works for you.

See your local dealer for a competitive quote from Daimler Truck Financial, or contact us at Information@dtfoffers.com.

Daimler Truck Financial offers a variety of finance, lease and insurance solutions to fit your business needs. For more information about our products and services, visit our website at www.daimler-truckfinancial.com.



Prepared by:
Drew Ellison
LOU BACHRODT FREIGHTLINER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-886-6704

SPECIFICATION PROPOSAL

	Data Code	Description
Price L	.evel	
	PRL-16D	SD PRL-16D (EFF:04/25/17)
Data V	ersion	
	DRL-005	SPECPRO21 DATA RELEASE VER 005
Vehicle	Configuration	on
	001-177	114SD CONVENTIONAL CHASSIS
	004-219	2019 MODEL YEAR SPECIFIED
	002-003	SET FORWARD AXLE - TRUCK
	019-002	STRAIGHT TRUCK PROVISION
	003-001	LH PRIMARY STEERING LOCATION
Genera	al Service	
	AA1-002	TRUCK CONFIGURATION
	AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)
	A85-010	UTILITY/REPAIR/MAINTENANCE SERVICE
	A84-1GM	GOVERNMENT BUSINESS SEGMENT
	AA4-002	LIQUID BULK COMMODITY
	AA5-006	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS
	AB1-008	MAXIMUM 8% EXPECTED GRADE
	AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE
	995-1AE	FREIGHTLINER LEVEL II WARRANTY
	A66-99D	EXPECTED FRONT AXLE(S) LOAD: 20000.0 lbs
	A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 46000.0 lbs
	A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 66000.0 lbs
Truck	Service	
	AA3-034	SEWER/INDUSTRIAL VACUUM BODY
	AF3-2BP	VAC CON



Data Code

Description

Engine			
101-22	CUM L9 370 HP @ 2000 RP 1250 LB/FT @ 1400 RPM	M, 2100 GOV RPM,	
Electronic Pa	Electronic Parameters		
79A-0	72 MPH ROAD SPEED LIMI	Г	
79B-0	CRUISE CONTROL SPEED SPEED LIMIT	LIMIT SAME AS ROAD	
79K-0	PTO MODE ENGINE RPM L	MIT - 1200 RPM	
79L-0 ⁻	PTO MODE THROTTLE OVI 1400 RPM	ERRIDE - LIMIT TO	
79M-0	1 PTO MODE BRAKE OVERR BRAKE APPLIED	IDE - SERVICE	
79P-0	PTO RPM WITH CRUISE SE RPM	T SWITCH - 1200	
79Q-0	PTO RPM WITH CRUISE RE RPM	SUME SWITCH - 1200	
79S-0	PTO MODE CANCEL VEHIC	LE SPEED - 5 MPH	
79U-0	PTO GOVERNOR RAMP RA SECOND	TE - 200 RPM PER	
79W-0	2 TWO REMOTE PTO SPEED	S	
79X-0	REMOTE PTO SPEED 1 SE	TTING - 700 RPM	
79Y-0	REMOTE PTO SPEED 2 SE	TTING - 900 RPM	
80G-0	PTO MINIMUM RPM - 700		
80J-00	REGEN INHIBIT SPEED THI	RESHOLD - 5 MPH	
Engine Equip	nent		
99C-0	7 2016 ONBOARD DIAGNOST EPA/CARB/FINAL GHG17 C		
99D-0	I 2008 CARB EMISSION CER IDLE (INCLUDES 6X4 INCH FORWARD CORNER OF DE	LABEL ON LOWER	
13E-0	STANDARD OIL PAN		
105-00	ENGINE MOUNTED OIL CH	ECK AND FILL	
014-11	SIDE OF HOOD AIR INTAKE HIGH CAPACITY AIR CLEAI ELEMENT, FIREWALL MOU	NER WITH SAFETY	
124-11	7 DR 12V 160 AMP 28-SI QUA ALTERNATOR WITH REMO SENSE		
292-09	(2) ALLIANCE MODEL 1231, MAINTENANCE FREE 2250 STUD BATTERIES		
290-0	BATTERY BOX FRAME MO	JNTED	
281-00	STANDARD BATTERY JUM	PERS	



Data Code	Description
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN
289-001	NON-POLISHED BATTERY BOX COVER
293-060	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH WITH LOCKING PROVISION MOUNTED OUTBOARD DRIVER SEAT
295-029	POSITIVE AND NEGATIVE POSTS FOR JUMPSTART LOCATED ON FRAME NEXT TO STARTER
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM
128-076	CUMMINS EXHAUST BRAKE INTEGRAL WITH VARIABLE GEOMETRY TURBO WITH ON/OFF DASH SWITCH
016-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH
239-200	INTEGRATED STACK AND B-PILLAR PIPE WITH MINIMUM STACK PROTRUSION ABOVE CAB
237-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP
242-011	ALUMINUM AFTERTREATMENT DEVICE/MUFFLER/TAILPIPE SHIELD(S)
273-048	HORTON 2-SPEED DRIVEMASTER ADVANTAGE POLAREXTREME FAN DRIVE
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED
110-003	CUMMINS SPIN ON FUEL FILTER
118-008	COMBINATION FULL FLOW/BYPASS OIL FILTER
120-009	FLEETGUARD PLAIN COOLANT FILTER



	Data Code	Description
	266-017	1300 SQUARE INCH ALUMINUM RADIATOR
	103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT
	171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT
	172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES
	270-016	RADIATOR DRAIN VALVE
	360-016	1310 ADAPTER FLANGE FOR FRONT PTO PROVISION
	132-004	ELECTRIC GRID AIR INTAKE WARMER
	155-058	DELCO 12V 38MT HD STARTER WITH INTEGRATED MAGNETIC SWITCH
Transmi	ission	
	342-582	ALLISON 3000 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION
Transmi	ission Equipr	nent
	343-339	ALLISON VOCATIONAL PACKAGE 223 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODELS RDS, HS, MH AND TRV
	84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES
	84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
	84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY
	84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
	84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
	84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
	84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE
	84L-000	LOAD BASED SHIFT SCHEDULE AND VEHICLE ACCELERATION CONTROL RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED VOCATIONAL USAGE



Data Code	Description
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES
353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB
34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED
362-035	CUSTOMER INSTALLED CHELSEA 277 SERIES PTO
363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN
345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED
97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013
370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK
346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK
35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)
Front Axle and Equ	uipment

400-1BB	DETROIT DA-F-20.0-5 20,000# FL1 71.0 KPI/3.74 DROP SINGLE FRONT AXLE
402-030	MERITOR 16.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
403-002	NON-ASBESTOS FRONT BRAKE LINING
419-023	CONMET CAST IRON FRONT BRAKE DRUMS
427-001	FRONT BRAKE DUST SHIELDS
409-006	FRONT OIL SEALS
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL
416-022	STANDARD SPINDLE NUTS FOR ALL AXLES
405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS
406-001	STANDARD KING PIN BUSHINGS
536-055	TRW THP-60 POWER STEERING WITH RCH45 AUXILIARY GEAR
539-003	POWER STEERING PUMP
534-003	4 QUART POWER STEERING RESERVOIR
533-004	OIL/AIR POWER STEERING COOLER MOUNTED ABOVE FRONT CLOSING CROSSMEMBER



Data Code

Description

Data Code	Description
40T-002	SYNTHETIC 75W-90 FRONT AXLE LUBE
Front Suspension	
620-006	20,000# FLAT LEAF FRONT SUSPENSION
619-004	GRAPHITE BRONZE BUSHINGS WITH SEALS - FRONT SUSPENSION
410-001	FRONT SHOCK ABSORBERS
Rear Axle and Equ	lipment
420-103	RT-46-160 46,000# R-SERIES TANDEM REAR AXLE
421-489	4.89 REAR AXLE RATIO
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING
386-076	MXL 17N MERITOR EXTENDED LUBE MAIN DRIVELINE WITH FULL ROUND YOKES
388-073	MXL 17T MERITOR EXTENDED LUBE INTERAXLE DRIVELINE WITH HALF ROUND YOKES
878-019	(1) INTERAXLE LOCK VALVE FOR TANDEM OR TRIDEM DRIVE AXLES
87A-001	BLINKING LAMP WITH EACH INTERAXLE LOCK SWITCH, INTERAXLE UNLOCK DEFAULT WITH IGNITION OFF
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES
433-002	NON-ASBESTOS REAR BRAKE LINING
434-003	STANDARD BRAKE CHAMBER LOCATION
451-023	CONMET CAST IRON REAR BRAKE DRUMS
425-002	REAR BRAKE DUST SHIELDS
440-006	REAR OIL SEALS
426-1B3	BENDIX EVERSURE LONGSTROKE 2-DRIVE AXLES SPRING PARKING CHAMBERS
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS
41T-002	SYNTHETIC 75W-90 REAR AXLE LUBE
42T-001	STANDARD REAR AXLE BREATHER(S)
Rear Suspension	
622-1CJ	HENDRICKSON RT463 @46,000# REAR SUSPENSION
621-016	HENDRICKSON RT/RTE - 7.19" SADDLE
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP
624-009	54 INCH AXLE SPACING



Data Code	Description
628-005	STEEL BEAMS AND BRONZE CENTER BUSHINGS WITH BAR PIN ADJUSTABLE END CONNECTIONS
623-005	FORE/AFT CONTROL RODS
Brake System	
490-100	WABCO 4S/4M ABS WITHOUT TRACTION CONTROL
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES
904-001	FIBER BRAID PARKING BRAKE HOSE
412-001	STANDARD BRAKE SYSTEM VALVES
46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM
413-1AA	STANDARD U.S. FRONT BRAKE VALVE WITH ABS VALVES IN RAILS WITH RH HEAT SHIELDING
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE
480-086	BW AD-9SI BRAKE LINE AIR DRYER WITH HEATER
479-024	AIR DRYER MOUNTED OUTBOARD ON RH RAIL BACK OF CAB, MAXIMUM 20 INCHES BACK OF CAB PROTRUSION
460-089	(1) 12 INCH STEEL AIR TANK MOUNTED ABOVE FRAME BACK OF CAB, 20 INCHES MAXIMUM BACK OF CAB PROTRUSION
607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD
477-001	PULL CABLE ON WET TANK, PETCOCK DRAIN VALVES ON ALL OTHER AIR TANKS
485-045	METALLIC AIR MANIFOLD MOUNTED TO BACK OF CAB CROSSMEMBER WITH SIX 1/4 INCH FITTINGS AND 70 PSI PROTECTION VALVE
Trailer Connections	
335-004	UPGRADED CHASSIS MULTIPLEXING UNIT
Wheelbase & Frame	
545-686	6850MM (270 INCH) WHEELBASE
546-102	7/16X3-9/16X11-1/8 INCH STEEL FRAME (11.11MMX282.6MM/0.437X11.13 INCH) 120KSI
547-001	1/4 INCH (6.35MM) C-CHANNEL INNER FRAME REINFORCEMENT
552-014	1900MM (75 INCH) REAR FRAME OVERHANG
55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH



Data Code	Description
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 186.54 in
AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 183.54 in
AE4-99D	CALC'D FRAME LENGTH - OVERALL: 396.69
AM6-99D	CALC'D SPACE AVAILABLE FOR DECKPLATE : 186.54 in
FSS-0LH	CALCULATED FRAME SPACE LH SIDE: 122.77 in
FSS-0RH	CALCULATED FRAME SPACE RH SIDE: 155.38 in
553-001	SQUARE END OF FRAME
550-001	FRONT CLOSING CROSSMEMBER
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER
562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)
572-001	STANDARD REARMOST CROSSMEMBER
565-001	STANDARD SUSPENSION CROSSMEMBER
Chassis Equipment	
556-997	OMIT FRONT BUMPER, CUSTOMER INSTALLED SPECIAL BUMPER, DOES NOT COMPLY WITH FMCSR 393.203
551-017	GRADE 8 THREADED HEX HEADED FRAME FASTENERS INSTALLED WITH BOLT HEADS ON OUTSIDE OF FRAME
606-1U5	DRILLING PREP FOR VAC CON PER DRAWING 670-30020 REV
Fuel Tanks	
204-156	100 GALLON/378 LITER ALUMINUM FUEL TANK - LH
218-006	25 INCH DIAMETER FUEL TANK(S)
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS
212-007	FUEL TANK(S) FORWARD
664-001	PLAIN STEP FINISH
205-001	FUEL TANK CAP(S)
122-1H3	DETROIT FUELWATER SEPARATOR WITH WATER IN FUEL SENSOR
216-020	EQUIFLO INBOARD FUEL SYSTEM
20E-004	AUXILIARY FUEL SUPPLY AND RETURN PORTS LOCATED ON LH FUEL TANK



	Data Code	Description
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE
	221-001	FUEL COOLER
Tires		
	093-0TB	MICHELIN XZY-3 425/65R22.5 20 PLY RADIAL FRONT TIRES
	094-0DG	MICHELIN XDE M/S 10R22.5 14 PLY RADIAL REAR TIRES
Hubs		
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS
Wheels	5	
	502-091	ACCURIDE 29374A 22.5X12.25 10-HUB PILOT 4.75 INSET 10-HAND ALUMINUM DISC FRONT WHEELS
	505-720	ALCOA LVL ONE 88367X ALUMINUM OUTSIDE, ACCURIDE 29637 STEEL INSIDE; 22.5X8.25 10- HUB PILOT DISC REAR WHEELS
Cab Ex	terior	
	829-1A2	114 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB
	650-008	AIR CAB MOUNTING
	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE
	667-001	FRONT FENDERS
	754-002	3-1/2 INCH FENDER EXTENSIONS
	678-001	LH AND RH GRAB HANDLES
	646-041	STATIONARY BLACK GRILLE
	65X-004	BLACK HOOD MOUNTED AIR INTAKE GRILLE
	644-004	FIBERGLASS HOOD
	690-017	HOOD LINER, ADDED FIREWALL AND FLOOR HEAT INSULATION
	727-1AF	SINGLE 14 INCH ROUND HADLEY AIR HORN UNDER LH DECK
	726-002	DUAL ELECTRIC HORNS
	728-001	SINGLE HORN SHIELD
	657-1CV	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME WITH (4) KEYS
	575-001	REAR LICENSE PLATE MOUNT END OF FRAME
	312-068	HALOGEN COMPOSITE HEADLAMPS WITH BLACK BEZELS



Data Code	Description
302-001	(5) AMBER MARKER LIGHTS
311-012	DAYTIME RUNNING LIGHTS - LOW BEAM ONLY
294-1A6	GROTE 54332 LED STOP TAIL TURN LIGHTS GROMMET MOUNTED WITH SEPARATE GROTE 62401 LED BACKUP LIGHTS.
300-015	STANDARD FRONT TURN SIGNAL LAMPS
744-1BH	DUAL WEST COAST MOLDED-IN COLOR MIRRORS
797-001	DOOR MOUNTED MIRRORS
796-001	102 INCH EQUIPMENT WIDTH
743-1AP	LH AND RH 8 INCH MOLDED-IN COLOR CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS
729-001	STANDARD SIDE/REAR REFLECTORS
677-998	NO CAB MOUNTED STEPS
768-043	63X14 INCH TINTED REAR WINDOW
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON-OPERATING WING WINDOWS
654-027	RH AND LH ELECTRIC POWERED WINDOWS, PASSENGER SWITCHES ON DOOR(S)
663-013	TINTED WINDSHIELD
659-007	8 LITER WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITHOUT FLUID LEVEL INDICATOR
Cab Interior	
707-1AK	OPAL GRAY VINYL INTERIOR
706-013	MOLDED PLASTIC DOOR PANEL
708-013	MOLDED PLASTIC DOOR PANEL
772-006	BLACK MATS WITH SINGLE INSULATION
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING
694-010	IN DASH STORAGE BIN
742-007	(2) CUP HOLDERS LH AND RH DASH
680-006	GRAY/CHARCOAL FLAT DASH
700-002	HEATER, DEFROSTER AND AIR CONDITIONER
701-001	STANDARD HVAC DUCTING
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH
170-015	STANDARD HEATER PLUMBING
130-033	DENSO HEAVY DUTY AIR CONDITIONER COMPRESSOR
702-002	BINARY CONTROL, R-134A



Prepared by:
Drew Ellison
LOU BACHRODT FREIGHTLINER
2840 CENTER PORT CIRCLE
POMPANO BEACH, FL 33064
Phone: 407-886-6704

	Data Code	Description		
	739-033	STANDARD INSULATION		
	285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES		
	280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM		
	324-011	DOME DOOR ACTIVATED LH AND RH, DUAL READING LIGHTS, FORWARD CAB ROOF		
	655-005	LH AND RH ELECTRIC DOOR LOCKS		
	284-101	(1) 12V POWER SUPPLY (1) DUAL 2.1 AMP USB CHARGER IN DASH		
	756-1J3	BASIC HIGH BACK AIR SUSPENSION DRIVER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION		
	760-1J3	BASIC HIGH BACK AIR SUSPENSION PASSENGER SEAT WITH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION		
	711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS		
	758-036	VINYL WITH VINYL INSERT DRIVER SEAT		
	761-036	VINYL WITH VINYL INSERT PASSENGER SEAT		
	763-101	BLACK SEAT BELTS		
	532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
	540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL		
	765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instruments & Controls				

Instruments & Controls

732-004	GRAY DRIVER INSTRUMENT PANEL
734-004	GRAY CENTER INSTRUMENT PANEL
87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS
870-001	BLACK GAUGE BEZELS
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY
157-007	MANUAL REMOTE ENGINE STOP/START WITH PTO RE-ENGAGE



Data Code	Description
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH
844-001	2 INCH ELECTRIC FUEL GAUGE
148-071	ENGINE REMOTE INTERFACE WITH INCREMENT/DECREMENT
163-001	ENGINE REMOTE INTERFACE CONNECTOR AT BACK OF CAB
33U-004	PREWIRE PACKAGE FOR VAC CON CONTROL MODULE AND CHASSIS INTERFACE
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE
864-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY
372-043	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP - PARK BRAKE AND NEUTRAL INTERLOCK
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE
679-001	OVERHEAD INSTRUMENT PANEL
746-115	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH AND USB AND AUXILIARY INPUTS, J1939
747-001	DASH MOUNTED RADIO
750-002	(2) RADIO SPEAKERS IN CAB
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER
817-001	STANDARD VEHICLE SPEED SENSOR
812-001	ELECTRONIC 3000 RPM TACHOMETER
813-998	NO VEHICLE PERFORMANCE MONITOR
162-018	IGNITION SWITCH CONTROLLED ENGINE STOP WITH CONTROL MOUNTED AT FIREWALL
81Y-001	PRE-TRIP LAMP INSPECTION, ALL OUTPUTS FLASH, WITH SMART SWITCH
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH



	Data Code	Description		
	882-009	ONE VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
	299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE		
	298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS		
Design				
	065-000	PAINT: ONE SOLID COLOR		
Color				
	980-3F8	CAB COLOR A: N0225EA WHITE ELITE SS		
	986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
	966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
	963-003	STANDARD E COAT/UNDERCOATING		
Certific	Certification / Compliance			
	996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
Secondary Factory Options				
	998-001	CORPORATE PDI CENTER IN-SERVICE ONLY		
	999-003	FRONT AND/OR REAR TIRE WIDTH EXCEEDS 2.6M (102.4 INCHES); DEALER ADVISED AND ACCEPTS		

