

EXHIBIT "B"

| Project Name & Parameter | Matrix | *List Approved EPA or SM Method (unless specify by the Town) | Frequency | Estimated Annual Quantity (unless noted otherwise) | Unit Price (including Sampling Supplies, Courier, Pick-up service, reporting) | Extended Unit Price (including Sampling Supplies, Courier, Pick-up service, reporting) Excludes Field Services | **Field Service Price per project | Extended Field Service Price per project | Notate any Sub-contracted Laboratory for Analysis (certificates must be provided) | |
|---|--------|--|------------------------------------|--|---|--|-----------------------------------|--|---|----------|
| Daily Effluent - Daily | | | | | | | | | | |
| TSS (MDL ≤ 1mg/L) | WW | SM 2540 | Weekday -Daily (Monday - Friday) | 265 | \$15.00 | \$3,975.00 | \$75.00 | \$19,875.00 | | |
| Fecal Coliform (MDL ≤ 1 CFU) | | SM 9222 | | 265 | \$20.00 | \$5,300.00 | | | | |
| TSS (MDL ≤1mg/L) | WW | SM 2540 | Weekend -Daily (Saturday & Sunday) | 110 | \$220.00 | \$24,200.00 | \$262.50 | \$28,875.00 | | |
| Fecal Coliform (MDL ≤ 1 CFU) | | SM 9222 | | 110 | \$225.00 | \$24,750.00 | | | | |
| Weekly Influent & Effluent - Composites - Weekdays (M-F) | | | | | | | | | | |
| CBOD (MDL ≤ 2mg/L) | WW | SM 5210 | Weekly (Once a week) | 110 | \$25.00 | \$2,750.00 | \$75.00 | \$8,250.00 | | |
| TSS (MDL ≤ 1mg/L) | | SM 2540 | | 110 | \$15.00 | \$1,650.00 | | | | |
| Cryptosporidium & Giardia (Eff) - every 2 years | | | | | | | | | | |
| Giardia & Cryptosporidium | WW | 1623.1 | Bi-Annually | 1 | \$735.00 | \$735.00 | \$75.00 | \$75.00 | Subcontracted (BCS) | |
| Biosolids Sludge - Quarterly | | | | | | | | | | |
| Nitrogen - NO2/NO3 | S | 9056 | Quarterly | 4 | \$15.00 | \$60.00 | \$75.00 | \$300.00 | | |
| Total Nitrogen - TKN | | 351,2 | | 4 | \$18.00 | \$72.00 | | | | |
| Total Nitrogen Calc: TKN + NOx | | TKN+Nox | | 4 | \$25.00 | \$100.00 | | | | |
| Phosphorus (P) | | 365.4 | | 4 | \$20.00 | \$80.00 | | | | |
| Potassium (K) | | 6010 | | 4 | \$12.00 | \$48.00 | | | | |
| TS (Total Solids in %) | | SM2540 G | | 4 | \$5.00 | \$20.00 | | | | |
| pH (Soil) | | 9045 | | 4 | \$5.00 | \$20.00 | | | | |
| 6010 Metals | | Mercury | | 7471 | 4 | \$25.00 | | | | \$100.00 |
| | | Arsenic | | 6010 | 4 | \$12.00 | | | | \$48.00 |
| | | Cadmium | | 6010 | 4 | \$12.00 | | | | \$48.00 |
| | | Copper | | 6010 | 4 | \$12.00 | | | | \$48.00 |
| | | Lead | | 6010 | 4 | \$12.00 | | | | \$48.00 |
| | | Molybdenum | | 6010 | 4 | \$12.00 | | | | \$48.00 |
| | | Nickel | | 6010 | 4 | \$12.00 | | | | \$48.00 |
| Selenium | 6010 | 4 | \$12.00 | \$48.00 | | | | | | |
| Zinc | 6010 | 4 | \$12.00 | \$48.00 | | | | | | |
| WRF Totals | | | | | | \$64,244.00 | \$57,375.00 | | | |

*The analytical test methods, and method detection limits (MDLs) shall be conducted using a sufficiently sensitive method to ensure compliance with applicable water quality standards and effluent limitations and shall be in accordance with Rule 62-4.246, Chapters 62-160 and 62-600, F.A.C., and 40 CFR 136, as appropriate.

**Experienced field sampling technicians equipped with all the necessary tools to complete any sampling event. Technicians who are A10 HAZWOPER certified and who have completed the Florida DEP Field SOP Training. Experience includes sampling at water, wastewater and water reclamation facilities, industrial facilities, residential houses, restaurants and other as applicable.