EMERGENCY PROCUREMENT JUSTIFICATION

DATE:	JANUARY 14, 2020		
TO:	RICK LITTLE, INTERIM PROCUREMENT DIRECTOR		
FROM:	UTILITY SPECIAL DISTRICT (DEPARTMENT)		
Specified Supplier:	SUEZ TREATMENT SOLUTIONS, INC.		
Address	8007 Discovery Drive		
	Richmond, VA 23229		
Contact Person:	Kevin Smith		
Phone Number:	800-446-1150		
Price:	\$75,700		
Explanation of Em	ergency:		
Softening Unit No. capacity to soften w	1 was operable during that the ater to meet average demand. To	ftening Unit No. 2 failed rendering it inoperable. Only Limo ime. Lime Softening Unit No. 1 does not have sufficien The rotor drive originally designated for the rehabilitation of emergency with Lime Softening Unit No. 2.	
reduce color withou Riviera Beach Utili drive, which is an e and deliver. LSU3	t the drive. The rehabilitation of ty Special District to begin re- ssential component for mixing	the three (3) softeners and cannot properly soften water and of LSU3 is critical for softening raw water and allowing the habilitation of the remaining two softening units. A roto lime with raw water, takes about 6 months to manufacture 2020. Unless the new drive is ordered on an emergency action delay.	
The plant currently lacks redundancy, as evidenced by Lime Softening Unit No. 2 shutdown in November 2019			
	: Install owner furnish driv	e unit to manufacturer specification which would make	
Type of Emergency	Threat:	•	
<u>X</u>	Public Health	X Public Welfare	
_ <u>X</u> _	Safety	"Designated Disaster Emergency	
	I certify that I am not circumventing commodities or services:	ng a competitive bidding process required by law by using an	
Requested by: Date: 1-14-2020			
Department Head Approval: City Manager Approval Date: 192020			
Procurement Director	: Michey Xetale	Date: 1/14/2020	
Purchase Requisition#	#		